

Nephro Science				
Nephrology				
Sno.	Band Name	Composition	Product type	Indication
1	ACETA -N	N-ACETYL CYSTINE+ TAURINE 500/600MG	TAB	Antioxidant support and detoxification, Liver protection and respiratory health, Management of oxidative stress-related conditions.
2	BONATE 1000	SODIUM- BICARBONATE 1000	TAB	Metabolic acidosis correction, Urinary alkalinization, Relief from acid indigestion and heartburn.
3	BONATE 500	SODIUM- BICARBONATE 500	TAB	
4	LEUCINE	HISTIDINE45MG+ISOL EUCINE 60MG+LEUCINE 90MG+ LYSINE 65MG+L- METHIONINE 90MG+ PHENYLALANINE 70MG+ THREONINE 65MG+ TRYPTOPHAN 25MG+TYROSINE 75MG+ RELINE	TAB	>Nutritional supplementation for muscle repair and growth, >Support in protein synthesis and metabolic functions, Recovery from malnutrition or increased physical stress.
5	LOG-A	ALPHA-KETO ANALOG TAB (ESSENTIAL AMINO ACID)	TAB	Chronic kidney disease (CKD) to reduce nitrogen load Support nutrition in renal failure patients on low-protein diets Help delay progression of renal damage.
6	LYSTRA SACHET	CHOLESTYRAMINE RESIN SACHET	SACHET	Hypercholesterolemia (lowers LDL cholesterol) Bile acid diarrhea (including post-cholecystectomy) Pruritus due to partial biliary obstruction
7	MYCARE-250	MYCOPHENOLATE MOFETIL 250 MG	TAB	Prevention of organ transplant rejection (kidney, heart, liver) Treatment of autoimmune diseases (e.g., lupus nephritis)
8	MYCARE-360	MYCOPHENOLATE MOFETIL 360 MG	TAB	

9	MYCARE-750	MYCOPHENOLATE MOFETIL 750 MG	TAB	
10	ROSEMIDE-10	TORSEMIDE TABLETS 10 MG	TAB	Edema due to heart failure, liver or kidney disease Hypertension (high blood pressure) Management of fluid overload conditions
11	ROSEMIDE-20	TORSEMIDE TABLETS 20 MG	TAB	
12	VELNATE-400	SEVELAMER CARBONATE 400 MG	TAB	<ul style="list-style-type: none"> •Used to control high serum phosphorus levels in patients with chronic kidney disease (CKD) on dialysis. • Helps prevent complications such as bone disease and vascular calcification due to
13	VELNATE-800	SEVELAMER CARBONATE 800 MG	TAB	
14	Amigo-M	Amino acid infusion(7%) with malic acid for renal insufficiency	Infusion	Nutritional support in chronic renal insufficiency Helps prevent protein-energy malnutrition Supports metabolic needs in patients on dialysis or with impaired kidney function

Urology

Sno.	PRODUCT NAME	COMPOSITION	Product type	Indications
	ALDO-4	SILODOSIN-4 MG	cap	Benign Prostatic Hyperplasia (BPH) – relieves urinary symptoms like weak stream, urgency, and frequent urination Improves urine flow by relaxing smooth muscles in the prostate and bladder neck
	ALDO-8	SILODOSIN-8 MG	cap	
	ALDO-D	SILODOSIN-8 MG + DUTASTERIDE 0.5 MG	cap	
	BUSTAT-40	FEBUXOSTAT 40 MG	tab	Chronic gout – lowers high uric acid levels Prevents gout flares and tophi formation
	BUSTAT-80	FEBUXOSTAT 80 MG	tab	
	DT-RIDE	TAMSULOSIN 0.4 MG(MR)+ DUTASTERIDE 0.5 MG	tab	treat men who have symptoms of an enlarged prostate gland, which is also known as benign prostatic hyperplasia (BPH).

	DUSTER-H	ALFUZOSIN 10MG + DUSTASTERIDE 0.5 MG	tab	combination medication used to treat the symptoms of benign prostatic hyperplasia (BPH)
	FURAN-100	NITROFURANTOIN SUSTAINED RELEASE 100MG	tab	specialize in the treatment of bacterial infections such as the common cold, urinary tract infection, and more infections that have been caused by the formation of bacteria
	LIFINATE-10	SOLIFENACIN SUCCINATE 10 MG	tab	treat bladder problems, including neurogenic detrusor overactivity and symptoms of an overactive bladder, such as incontinence (loss of bladder control), a strong need to urinate right away, or a
	LIFINATE-5	SOLIFENACIN SUCCINATE 5 MG	tab	